*Brain Research*, 620 (1993) 356–358
Elsevier Science Publishers B.V.

# Author Index

Airey, J.A., see Ouyang, Y. (620) 269
Aizawa, T., see Hisano, S. (620) 343
Akaike, N., Furukawa, K. and Kogure, K.
Rolipram enhances the development of voltage-dependent $Ca^{2+}$ current and serotonin-induced current in rat pheochromocytoma cells (620) 58
Ambros-Ingerson, J., Xiao, P., Larson, J. and Lynch, G.
Waveform analysis suggests that LTP alters the kinetics of synaptic receptor channels (620) 237
Angeretti, N., see Forloni, G. (620) 292
Aoki, C., Fenstemaker, S., Lubin, M. and Go, C.-G.
Nitric oxide synthase in the visual cortex of monocular monkeys as revealed by light and electron microscopic immunocytochemistry (620) 97
Aoki, E., Takeuchi, I.K., Shoji, R. and Semba, R.
Localization of nitric oxide-related substances in the peripheral nervous tissues (620) 142
Arranz, B., Eriksson, A., Mellerup, E., Plenge, P. and Marcusson, J.
Effect of aging in human cortical pre- and postsynaptic serotonin binding sites (620) 163

Benavides, J., see Toulmond, S. (620) 24
Benavides, J., see Toulmond, S. (620) 32
Bermúdez-Rattoni, F., see Paredes, R.G. (620) 351
Bickford, P.
Motor learning deficits in aged rats are correlated with loss of cerebellar noradrenergic function (620) 133
Bittar, P. and Muller, D.
Time-dependent reversal of long-term potentiation by brief cooling shocks in rat hippocampal slices (620) 181
Bloch, G.J., Eckersell, C. and Mills, R.
Distribution of galanin-immunoreactive cells within sexually dimorphic components of the medial preoptic area of the male and female rat (620) 259
Brien, J.F., see Penning, D.H. (620) 301

Cameron, A.A., Dougherty, P.M., Garrison, C.J., Willis, W.D. and Carlton, S.M.
The endogenous lectin RL-29 is transynaptically induced in dorsal horn neurons following peripheral neuropathy in the rat (620) 64
Carlezon Jr., W.A. and Wise, R.A.
Morphine-induced potentiation of brain stimulation reward is enhanced by MK-801 (620) 339
Carlton, S.M., see Cameron, A.A. (620) 64
Casis, L., see De Gandarias, J.M. (620) 146
Castro-Lopes, J.M., Tavares, I. and Coimbra, A.
GABA decreases in the spinal cord dorsal horn after peripheral neurectomy (620) 287
Chikamori-Aoyama, M., see Hisano, S. (620) 343
Christensen, M.A., see Yager, J.Y. (620) 122
Coimbra, A., see Castro-Lopes, J.M. (620) 287
Collins, A.C., see Pauly, J.R. (620) 195
Comer, C.M., see Keegan, A.P. (620) 310
Cynader, M.S., see Gu, Q. (620) 155

Deerinck, T.J., see Ouyang, Y. (620) 269
De Gandarias, J.M., Irazusta, J., Gil, J., Fernández, D. and Casis, L.
Brain soluble and membrane-bound Tyr-aminopeptidase activities during the stages of estrous and proestrous in the female rat (620) 146
Del Bo, R., see Forloni, G. (620) 292
Dent, G.W., Rule, B.L., Tam, S.W. and De Souza, E.B.
Effects of the memory enhancer linopirdine (Dup 996) on cerebral glucose metabolism in naive and hypoxia-exposed rats (620) 7
Derrington, E.A., Kelić, S. and Whittaker, V.P.
A novel cholinergic-specific antigen (Chol-2) in mammalian brain (620) 16
De Souza, E.B., see Dent, G.W. (620) 7
De Venecia, R.K., see McMullen, N.T. (620) 317
Dougherty, P.M., see Cameron, A.A. (620) 64
Duval, D., see Toulmond, S. (620) 24

Eckersell, C., see Bloch, G.J. (620) 259
El-Beheiry, H., see Penning, D.H. (620) 301
Ellisman, M.H., see Ouyang, Y. (620) 269
Elofsson, R., see Sakharov, D. (620) 114
Eriksson, A., see Arranz, B. (620) 163
Etgen, A.M., see Vincent, P.A. (620) 189
Etoh, T., see Taniguchi, M. (620) 297

Fenstemaker, S., see Aoki, C. (620) 97
Fernández, D., see De Gandarias, J.M. (620) 146
Forloni, G., Del Bo, R., Angeretti, N., Smiroldo, S., Gabellini, N. and Vantini, G.
Nerve growth factor does not influence the expression of $\beta$ amyloid precursor protein mRNA in rat brain: in vivo and in vitro studies (620) 292
Froelich, L., see Ozawa, H. (620) 174
Fukui, Y., see Hisano, S. (620) 343
Furukawa, K., see Akaike, N. (620) 58

Gabellini, N., see Forloni, G. (620) 292
Garcia, R. and Jaffard, R.
A comparative study of age-related changes in inhibitory processes and long-term potentiation in the lateral septum of mice (620) 229
Garrison, C.J., see Cameron, A.A. (620) 64
Gil, J., see De Gandarias, J.M. (620) 146
Gillette, M.U., see Medanic, M. (620) 281
Go, C.-G., see Aoki, C. (620) 97
Goh, J.W., see Penning, D.H. (620) 301
Gsell, W., see Ozawa, H. (620) 174
Gu, Q. and Cynader, M.S.
Immunocytochemical localization of enkephalin in the cat visual cortex (620) 155

Haddad, G.G., see Kwei, S. (620) 203
Hammond, D.L., see McGowan, M.K. (620) 86
Hatta, S., see Ozawa, H. (620) 174
Haxhiu, M.A., see Loewy, A.D. (620) 323
Hayashi, T., Tanaka, J., Kamikubo, T., Takada, K. and Matsuda, M.
Increase in ubiquitin conjugates dependent on ischemic damage (620) 171
Heaton, M.B., Paiva, M., Swanson, D.J. and Walker, D.W.
Modulation of ethanol neurotoxicity by nerve growth factor (620) 78
Hellström-Lindahl, E., Winblad, B. and Nordberg, A.
Muscarinic and nicotinic receptor changes in the cortex and thalamus of brains of chronic alcoholics (620) 42
Hisano, S., Fukui, Y., Chikamori-Aoyama, M., Aizawa, T. and Shibasaki, T.
Reciprocal synaptic relations between CRF-immunoreactive- and TRH-immunoreactive neurons in the paraventricular nucleus of the rat hypothalamus (620) 343
Hönack, D. and Löscher, W.
Sex differences in NMDA receptor mediated responses in rats (620) 167

Irazusta, J., see De Gandarias, J.M. (620) 146

Jadhao, A.G., see Prasada Rao, P.D. (620) 211
Jadhao, A.G., see Sharma, S.C. (620) 221
Jaffard, R., see Garcia, R. (620) 229
Jiang, C., see Kwei, S. (620) 203
Joh, T.H., see Park, D.H. (620) 331

Kamada, T., see Ohtsuki, T. (620) 305
Kamikubo, T., see Hayashi, T. (620) 171
Katada, T., see Ozawa, H. (620) 174
Katamura, Y., see Ozawa, H. (620) 174
Kato, J., see Wakisaka, S. (620) 347
Kavaliers, M. and Ossenkopp, K.-P.
Repeated naloxone treatments and exposures to weak 60-Hz magnetic fields have 'analgesic' effects in snails (620) 159
Keegan, A.P. and Comer, C.M.
The wind-elicited escape response of

*Brain Research*, 620 (1993) 356–358
Elsevier Science Publishers B.V.

# Author Index

Airey, J.A., see Ouyang, Y. (620) 269
Aizawa, T., see Hisano, S. (620) 343
Akaike, N., Furukawa, K. and Kogure, K.
Rolipram enhances the development of voltage-dependent $Ca^{2+}$ current and serotonin-induced current in rat pheochromocytoma cells (620) 58
Ambros-Ingerson, J., Xiao, P., Larson, J. and Lynch, G.
Waveform analysis suggests that LTP alters the kinetics of synaptic receptor channels (620) 237
Angeretti, N., see Forloni, G. (620) 292
Aoki, C., Fenstemaker, S., Lubin, M. and Go, C.-G.
Nitric oxide synthase in the visual cortex of monocular monkeys as revealed by light and electron microscopic immunocytochemistry (620) 97
Aoki, E., Takeuchi, I.K., Shoji, R. and Semba, R.
Localization of nitric oxide-related substances in the peripheral nervous tissues (620) 142
Arranz, B., Eriksson, A., Mellerup, E., Plenge, P. and Marcusson, J.
Effect of aging in human cortical pre- and postsynaptic serotonin binding sites (620) 163

Benavides, J., see Toulmond, S. (620) 24
Benavides, J., see Toulmond, S. (620) 32
Bermúdez-Rattoni, F., see Paredes, R.G. (620) 351
Bickford, P.
Motor learning deficits in aged rats are correlated with loss of cerebellar noradrenergic function (620) 133
Bittar, P. and Muller, D.
Time-dependent reversal of long-term potentiation by brief cooling shocks in rat hippocampal slices (620) 181
Bloch, G.J., Eckersell, C. and Mills, R.
Distribution of galanin-immunoreactive cells within sexually dimorphic components of the medial preoptic area of the male and female rat (620) 259
Brien, J.F., see Penning, D.H. (620) 301

Cameron, A.A., Dougherty, P.M., Garrison, C.J., Willis, W.D. and Carlton, S.M.
The endogenous lectin RL-29 is transynaptically induced in dorsal horn neurons following peripheral neuropathy in the rat (620) 64
Carlezon Jr., W.A. and Wise, R.A.
Morphine-induced potentiation of brain stimulation reward is enhanced by MK-801 (620) 339
Carlton, S.M., see Cameron, A.A. (620) 64
Casis, L., see De Gandarias, J.M. (620) 146
Castro-Lopes, J.M., Tavares, I. and Coimbra, A.
GABA decreases in the spinal cord dorsal horn after peripheral neurectomy (620) 287
Chikamori-Aoyama, M., see Hisano, S. (620) 343
Christensen, M.A., see Yager, J.Y. (620) 122
Coimbra, A., see Castro-Lopes, J.M. (620) 287
Collins, A.C., see Pauly, J.R. (620) 195
Comer, C.M., see Keegan, A.P. (620) 310
Cynader, M.S., see Gu, Q. (620) 155

Deerinck, T.J., see Ouyang, Y. (620) 269
De Gandarias, J.M., Irazusta, J., Gil, J., Fernández, D. and Casis, L.
Brain soluble and membrane-bound Tyr-aminopeptidase activities during the stages of estrous and proestrous in the female rat (620) 146
Del Bo, R., see Forloni, G. (620) 292
Dent, G.W., Rule, B.L., Tam, S.W. and De Souza, E.B.
Effects of the memory enhancer linopirdine (Dup 996) on cerebral glucose metabolism in naive and hypoxia-exposed rats (620) 7
Derrington, E.A., Kelić, S. and Whittaker, V.P.
A novel cholinergic-specific antigen (Chol-2) in mammalian brain (620) 16
De Souza, E.B., see Dent, G.W. (620) 7
De Venecia, R.K., see McMullen, N.T. (620) 317
Dougherty, P.M., see Cameron, A.A. (620) 64
Duval, D., see Toulmond, S. (620) 24

Eckersell, C., see Bloch, G.J. (620) 259
El-Beheiry, H., see Penning, D.H. (620) 301
Ellisman, M.H., see Ouyang, Y. (620) 269
Elofsson, R., see Sakharov, D. (620) 114
Eriksson, A., see Arranz, B. (620) 163
Etgen, A.M., see Vincent, P.A. (620) 189
Etoh, T., see Taniguchi, M. (620) 297

Fenstemaker, S., see Aoki, C. (620) 97
Fernández, D., see De Gandarias, J.M. (620) 146
Forloni, G., Del Bo, R., Angeretti, N., Smiroldo, S., Gabellini, N. and Vantini, G.
Nerve growth factor does not influence the expression of $\beta$ amyloid precursor protein mRNA in rat brain: in vivo and in vitro studies (620) 292
Froelich, L., see Ozawa, H. (620) 174
Fukui, Y., see Hisano, S. (620) 343
Furukawa, K., see Akaike, N. (620) 58

Gabellini, N., see Forloni, G. (620) 292
Garcia, R. and Jaffard, R.
A comparative study of age-related changes in inhibitory processes and long-term potentiation in the lateral septum of mice (620) 229
Garrison, C.J., see Cameron, A.A. (620) 64
Gil, J., see De Gandarias, J.M. (620) 146
Gillette, M.U., see Medanic, M. (620) 281
Go, C.-G., see Aoki, C. (620) 97
Goh, J.W., see Penning, D.H. (620) 301
Gsell, W., see Ozawa, H. (620) 174
Gu, Q. and Cynader, M.S.
Immunocytochemical localization of enkephalin in the cat visual cortex (620) 155

Haddad, G.G., see Kwei, S. (620) 203
Hammond, D.L., see McGowan, M.K. (620) 86
Hatta, S., see Ozawa, H. (620) 174
Haxhiu, M.A., see Loewy, A.D. (620) 323
Hayashi, T., Tanaka, J., Kamikubo, T., Takada, K. and Matsuda, M.
Increase in ubiquitin conjugates dependent on ischemic damage (620) 171
Heaton, M.B., Paiva, M., Swanson, D.J. and Walker, D.W.
Modulation of ethanol neurotoxicity by nerve growth factor (620) 78
Hellström-Lindahl, E., Winblad, B. and Nordberg, A.
Muscarinic and nicotinic receptor changes in the cortex and thalamus of brains of chronic alcoholics (620) 42
Hisano, S., Fukui, Y., Chikamori-Aoyama, M., Aizawa, T. and Shibasaki, T.
Reciprocal synaptic relations between CRF-immunoreactive- and TRH-immunoreactive neurons in the paraventricular nucleus of the rat hypothalamus (620) 343
Hönack, D. and Löscher, W.
Sex differences in NMDA receptor mediated responses in rats (620) 167

Irazusta, J., see De Gandarias, J.M. (620) 146

Jadhao, A.G., see Prasada Rao, P.D. (620) 211
Jadhao, A.G., see Sharma, S.C. (620) 221
Jaffard, R., see Garcia, R. (620) 229
Jiang, C., see Kwei, S. (620) 203
Joh, T.H., see Park, D.H. (620) 331

Kamada, T., see Ohtsuki, T. (620) 305
Kamikubo, T., see Hayashi, T. (620) 171
Katada, T., see Ozawa, H. (620) 174
Katamura, Y., see Ozawa, H. (620) 174
Kato, J., see Wakisaka, S. (620) 347
Kavaliers, M. and Ossenkopp, K.-P.
Repeated naloxone treatments and exposures to weak 60-Hz magnetic fields have 'analgesic' effects in snails (620) 159
Keegan, A.P. and Comer, C.M.
The wind-elicited escape response of

cockroaches (*Periplaneta americana*) is influenced by lesions rostral to the escape circuit (620) 310
Kelić, S., see Derrington, E.A. (620) 16
Kitao, Y., Okoyama, S., Moriizumi, T. and Kudo, M.
Neurogenetical segregation of the vestibulospinal neurons in the rat (620) 149
Kogure, K., see Akaike, N. (620) 58
Kudo, M., see Kitao, Y. (620) 149
Kurisu, K., see Wakisaka, S. (620) 347
Kwei, S., Jiang, C. and Haddad, G.G.
Acute anoxia-induced alterations in MAP2 immunoreactivity and neuronal morphology in rat hippocampus (620) 203

Larson, J., see Ambros-Ingerson, J. (620) 237
Lehmann, J.C., Procureur, D. and Wood, P.L.
7-Chlorokynurenate prevents NMDA-induced and kainate-induced striatal lesions (620) 1
Lewis, S.J., see Ohta, H. (620) 72
Loewy, A.D. and Haxhiu, M.A.
CNS cell groups projecting to pancreatic parasympathetic preganglionic neurons (620) 323
Löscher, W., see Hönack, D. (620) 167
Lovell, K.L., see Sasaki, M. (620) 127
Lubin, M., see Aoki, C. (620) 97
Lucchi, R., see Poli, A. (620) 245
Lynch, G., see Ambros-Ingerson, J. (620) 237

Marcusson, J., see Arranz, B. (620) 163
Matsuda, M., see Hayashi, T. (620) 171
Matsumoto, M., see Ohtsuki, T. (620) 305
McGowan, M.K. and Hammond, D.L.
Antinociception produced by microinjection of L-glutamate into the ventromedial medulla of the rat: mediation by spinal $GABA_A$ receptors (620) 86
McMullen, N.T. and De Venecia, R.K.
Thalamocortical patches in auditory neocortex (620) 317
Medanic, M. and Gillette, M.U.
Suprachiasmatic circadian pacemaker of rat shows two windows of sensitivity to neuropeptide Y in vitro (620) 281
Mellerup, E., see Arranz, B. (620) 163
Mills, R., see Bloch, G.J. (620) 259
Möller, J.R., see Sasaki, M. (620) 127
Moriizumi, T., see Kitao, Y. (620) 149
Moroz, L., see Sakharov, D. (620) 114
Muller, D., see Bittar, P. (620) 181
Murakami, N., see Taniguchi, M. (620) 297

Nakamura, H., see Taniguchi, M. (620) 297
Nasu, T., see Taniguchi, M. (620) 297
Nezlin, L., see Sakharov, D. (620) 114
Nordberg, A., see Hellström-Lindahl, E. (620) 42
Nordeen, E.J., see Sohrabji, F. (620) 335
Nordeen, K.W., see Sohrabji, F. (620) 335

Ohta, H., Lewis, S.J. and Talman, W.T.
Spermidine and cardiovascular control in nucleus tractus solitarii in rat (620) 72
Ohtsuki, T., Matsumoto, M., Suzuki, K., Taniguchi, N. and Kamada, T.
Effect of transient forebrain ischemia on superoxide dismutases in gerbil hippocampus (620) 305
Okoyama, S., see Kitao, Y. (620) 149
Ossenkopp, K.-P., see Kavaliers, M. (620) 159
Ouyang, Y., Deerinck, T.J., Walton, P.D., Airey, J.A., Sutko, J.L. and Ellisman, M.H.
Distribution of ryanodine receptors in the chicken central nervous system (620) 269
Ozawa, H., Katamura, Y., Hatta, S., Saito, T., Katada, T., Gsell, W., Froelich, L., Takahata, N. and Riederer, P.
Alterations of guanine nucleotide-binding proteins in post-mortem human brain in alcoholics (620) 174

Paiva, M., see Heaton, M.B. (620) 78
Paredes, R.G., Piña, A.L. and Bermúdez-Rattoni, F.
Hypothalamic but not cortical grafts induce recovery of sexual behavior and connectivity in medial preoptic area-lesioned rats (620) 351
Park, D.H., Wessel, T.C. and Joh, T.H.
Acute effects of reserpine on tryptophan hydroxylase activity and mRNA in rat brain (620) 331
Pauly, J.R., Robinson, S.F. and Collins, A.C.
Chronic corticosterone administration enhances behavioral sensitization to amphetamine in mice (620) 195
Penning, D.H., Goh, J.W., El-Beheiry, H. and Brien, J.F.
Effect of hypoxia on glutamate efflux and synaptic transmission in the guinea pig hippocampus (620) 301
Piña, A.L., see Paredes, R.G. (620) 351
Plenge, P., see Arranz, B. (620) 163
Poli, A., Lucchi, R., Zottini, M. and Traversa, U.
Adenosine $A_1$ receptor-mediated inhibition of evoked glutamate release is coupled to calcium influx decrease in goldfish brain synaptosomes (620) 245
Prasada Rao, P.D., Jadhao, A.G. and Sharma, S.C.
Topographic organization of descending projection neurons to the spinal cord of the goldfish, *Carassius auratus* (620) 211
Prasada Rao, P.D., see Sharma, S.C. (620) 221
Procureur, D., see Lehmann, J.C. (620) 1

Reid, I., see Stewart, C. (620) 139
Riederer, P., see Ozawa, H. (620) 174
Roberts Jr., E.L.
Glycolysis and recovery of potassium ion homeostasis and synaptic transmission in hippocampal slices after anoxia or stimulated potassium release (620) 251
Robinson, S.F., see Pauly, J.R. (620) 195
Rule, B.L., see Dent, G.W. (620) 7

Saito, T., see Ozawa, H. (620) 174
Sakharov, D., Nezlin, L., Moroz, L. and Elofsson, R.
Patterns of enkephalin immunolabeling in the pulmonate snail *Cepaea nemoralis* and related molluscs (620) 114
Sasaki, M., Lovell, K.L. and Möller, J.R.
Myelin-associated glycoprotein (MAG) in myelin deficiency of caprine $\beta$-mannosidosis (620) 127
Sasaki, Y., see Wakisaka, S. (620) 347
Scatton, B., see Toulmond, S. (620) 24
Scatton, B., see Toulmond, S. (620) 32
Semba, R., see Aoki, E. (620) 142
Serrano, A., see Toulmond, S. (620) 24
Serrano, A., see Toulmond, S. (620) 32
Sharma, S.C., Jadhao, A.G. and Prasada Rao, P.D.
Regeneration of supraspinal projection neurons in the adult goldfish (620) 221
Sharma, S.C., see Prasada Rao, P.D. (620) 211
Shibasaki, T., see Hisano, S. (620) 343
Shinohara, S., see Taniguchi, M. (620) 297
Shoji, R., see Aoki, E. (620) 142
Smiroldo, S., see Forloni, G. (620) 292
Sohrabji, F., Nordeen, E.J. and Nordeen, K.W.
Characterization of neurons born and incorporated into a vocal control nucleus during avian song learning (620) 335
Stewart, C. and Reid, I.
Electroconvulsive stimulation and synaptic plasticity in the rat (620) 139
Struckhoff, G.
Dipeptidyl peptidase II in astrocytes of the rat brain. Meningeal cells increase enzymic activity in cultivated astrocytes (620) 49
Sutko, J.L., see Ouyang, Y. (620) 269
Suzuki, K., see Ohtsuki, T. (620) 305
Swanson, D.J., see Heaton, M.B. (620) 78

Tabata, M.J., see Wakisaka, S. (620) 347
Takada, K., see Hayashi, T. (620) 171
Takahata, N., see Ozawa, H. (620) 174
Takeuchi, I.K., see Aoki, E. (620) 142
Takikita, S., see Wakisaka, S. (620) 347
Talman, W.T., see Ohta, H. (620) 72
Tam, S.W., see Dent, G.W. (620) 7
Tanaka, J., see Hayashi, T. (620) 171
Taniguchi, M., Murakami, N., Nakamura, H., Nasu, T., Shinohara, S. and Etoh, T.
Melatonin release from pineal cells of diurnal and nocturnal birds (620) 297
Taniguchi, N., see Ohtsuki, T. (620) 305
Tavares, I., see Castro-Lopes, J.M. (620) 287
Toulmond, S., Duval, D., Serrano, A., Scatton, B. and Benavides, J.
Biochemical and histological alterations induced by fluid percussion brain injury in the rat (620) 24
Toulmond, S., Serrano, A., Benavides, J. and Scatton, B.
Prevention by eliprodil (SL 82.0715) of traumatic brain damage in the rat. Existence of a large (18 h) therapeutic window (620) 32
Traversa, U., see Poli, A. (620) 245

Vannucci, R.C., see Yager, J.Y. (620) 122
Vantini, G., see Forloni, G. (620) 292
Vincent, P.A. and Etgen, A.M.
Steroid priming promotes oxytocin-induced norepinephrine release in the ventromedial hypothalamus of female rats (620) 189

Wakisaka, S., Takikita, S., Sasaki, Y., Kato, J., Tabata, M.J. and Kurisu, K.
Cell size-specific appearance of neuropeptide Y in the trigeminal ganglion following peripheral axotomy of different branches of the mandibular nerve of the rat (620) 347
Walker, D.W., see Heaton, M.B. (620) 78
Walton, P.D., see Ouyang, Y. (620) 269
Wessel, T.C., see Park, D.H. (620) 331
Whittaker, V.P., see Derrington, E.A. (620) 16
Willis, W.D., see Cameron, A.A. (620) 64
Winblad, B., see Hellström-Lindahl, E. (620) 42
Wise, R.A., see Carlezon Jr., W.A. (620) 339
Wood, P.L., see Lehmann, J.C. (620) 1

Xiao, P., see Ambros-Ingerson, J. (620) 237

Yager, J.Y., Christensen, M.A. and Vannucci, R.C.
Regional cerebral blood flow following hypothermic circulatory arrest in newborn dogs (620) 122

Zottini, M., see Poli, A. (620) 245

---

*(contents continued)*

Acute effects of reserpine on tryptophan hydroxylase activity and mRNA in rat brain
D.H. Park, T.C. Wessel and T.H. Joh (USA) 331
Characterization of neurons born and incorporated into a vocal control nucleus during avian song learning
F. Sohrabji, E.J. Nordeen and K.W. Nordeen (USA) 335
Morphine-induced potentiation of brain stimulation reward is enhanced by MK-801
W.A. Carlezon Jr. and R.A. Wise (Canada) 339
Reciprocal synaptic relations between CRF-immunoreactive- and TRH-immunoreactive neurons in the paraventricular nucleus of the rat hypothalamus
S. Hisano, Y. Fukui, M. Chikamori-Aoyama, T. Aizawa and T. Shibasaki (Japan) 343
Cell size-specific appearance of neuropeptide Y in the trigeminal ganglion following peripheral axotomy of different branches of the mandibular nerve of the rat
S. Wakisaka, S. Takikita, Y. Sasaki, J. Kato, M.J. Tabata and K. Kurisu (Japan) 347
Hypothalamic but not cortical grafts induce recovery of sexual behavior and connectivity in medial preoptic area-lesioned rats
R.G. Paredes, A.L. Piña and F. Bermúdez-Rattoni (Mexico) 351

*Author Index* 356

*Retraction Letter* 359